


# Leilox

1.5/2.0 Locking System



**R** RITA  
**LEIBINGER**  
MEDICAL

## Osteosynthesis Locking Set 1.5/2.0

## Osteosynthesis Locking Set 1.5/2.0

142-1520-00



Produkt Code	Beschreibung	Menge
142-1520-10	Steri Gitter Box mit Propylux Einlage/mit Deckel	1,00
142-0215-04	1.5 Bone Plate Locking, 4 Hole, Titanium	1,00
142-0215-05	1.5 Bone Plate Locking, 5 Hole, Titanium	1,00
142-0215-06	1.5 Bone Plate Locking, 6 Hole, Titanium	1,00
142-0215-07	1.5 Bone Plate Locking, 7 Hole, Titanium	1,00
142-0215-08	1.5 Bone Plate Locking, 8 Hole, Titanium	1,00
142-0215-09	1.5 Bone Plate Locking, 9 Hole, Titanium	1,00
142-0215-10	1.5 Bone Plate Locking, 10 Hole, Titanium	1,00
142-0215-614	1.5 Titan Bone Plate Locking, 4 Hole, 14 mm Bridge, Titanium	1,00
142-0215-621	1.5 Titan Bone Plate Locking, 6 Hole, 21 mm Bridge, Titanium	1,00
142-0215-635	1.5 Titan Bone Plate Locking, 6 Hole, 35 mm Bridge, Titanium	1,00
142-0215-20	1.5 Titan Bone Plate, 20 Hole, Titanium	1,00
142-0215-504R	1.5 Titan L-Bone-Plate, 5 Hole, right, Titanium	1,00
142-0215-504L	1.5 Titan L-Bone-Plate, 5 Hole, left, Titanium	1,00
142-0215-805	1.5 Titan Y-Bone-Plate, 5 Hole, Titanium	1,00
245-415-05	Locking Screw 1.5mm x 5mm, Titanium, sself tapping, Fat-Neck, TORX 6	5,00
245-415-06	Locking Screw 1.5mm x 6mm, Titanium, sself tapping, Fat-Neck, TORX 6	5,00
245-415-07	Locking Screw 1.5mm x 7mm, Titanium, sself tapping, Fat-Neck, TORX 6	5,00
245-415-08	Locking Screw 1.5mm x 8mm, Titanium, sself tapping, Fat-Neck, TORX 6	5,00
245-415-09	Locking Screw 1.5mm x 9mm, Titanium, sself tapping, Fat-Neck, TORX 6	5,00
245-415-10	Locking Screw 1.5mm x 10mm, Titanium, sself tapping, Fat-Neck, TORX 6	5,00
245-415-11	Locking Screw 1.5mm x 11mm, Titanium, sself tapping, Fat-Neck, TORX 6	5,00

<b>245-415-12</b>	Locking Screw 1.5mm x 12mm, Titanium, self tapping, Fat-Neck, TORX 6	5,00
<b>245-415-14</b>	Locking Screw 1.5mm x 14mm, Titanium, self tapping, Fat-Neck, TORX 6	5,00
<b>245-415-16</b>	Locking Screw 1.5mm x 16mm, Titanium, self tapping, Fat-Neck, TORX 6	5,00
<b>245-415-18</b>	Locking Screw 1.5mm x 18mm, Titanium, self tapping, Fat-Neck, TORX 6	5,00
<b>245-415-20</b>	Locking Screw 1.5mm x 20mm, Titanium, self tapping, Fat-Neck, TORX 6	5,00
<b>245-415-22</b>	Locking Screw 1.5mm x 22mm, Titanium, self tapping, Fat-Neck, TORX 6	5,00
<b>245-415-24</b>	Locking Screw 1.5mm x 24mm, Titanium, self tapping, Fat-Neck, TORX 6	5,00
<b>142-0220-04</b>	2.0 Locking Plate mit 4 Hole, Titanium	1,00
<b>142-0220-05</b>	2.0 Locking Plate mit 5 Hole, Titanium	1,00
<b>142-0220-06</b>	2.0 Locking Plate mit 6 Hole, Titanium	1,00
<b>142-0220-07</b>	2.0 Locking Plate mit 7 Hole, Titanium	1,00
<b>142-0220-08</b>	2.0 Locking Plate mit 8 Hole, Titanium	1,00
<b>142-0220-09</b>	2.0 Locking Plate mit 9 Hole, Titanium	1,00
<b>142-0220-10</b>	2.0 Locking Plate mit 10 Hole, Titanium	1,00
<b>142-0220-618</b>	2.0 Locking Plate, 4 Hole, 18 mm Steg, Titanium	1,00
<b>142-0220-627</b>	2.0 Locking Plate, 6 Hole, 27 mm Steg, Titanium	1,00
<b>142-0220-636</b>	2.0 Locking Plate, 6 Hole, 36 mm Steg, Titanium	1,00
<b>142-0220-20</b>	2.0 Locking Plate, 20 Hole, Titanium	1,00
<b>142-0220-504R</b>	2.0 L-Locking-Plate, 5 Hole, right, Titanium	1,00
<b>142-0220-504L</b>	2.0 L-Locking-Plate, 5 Hole, left, Titanium	1,00
<b>142-0220-805</b>	2.0 Y-Locking-Plate mit 5 Hole, Titanium	1,00
<b>245-420-05</b>	Locking Screw 2.0mm x 5mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-06</b>	Locking Screw 2.0mm x 6mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-07</b>	Locking Screw 2.0mm x 7mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-08</b>	Locking Screw 2.0mm x 8mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-09</b>	Locking Screw 2.0mm x 9mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-10</b>	Locking Screw 2.0mm x 10mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-11</b>	Locking Screw 2.0mm x 11mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-12</b>	Locking Screw 2.0mm x 12mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-14</b>	Locking Screw 2.0mm x 14mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-16</b>	Locking Screw 2.0mm x 16mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-18</b>	Locking Screw 2.0mm x 18mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-20</b>	Locking Screw 2.0mm x 20mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-22</b>	Locking Screw 2.0mm x 22mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-24</b>	Locking Screw 2.0mm x 24mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-26</b>	Locking Screw 2.0mm x 26mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-28</b>	Locking Screw 2.0mm x 28mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>245-420-30</b>	Locking Screw 2.0mm x 30mm, self tapping, Fat-Neck, TORX 8, Titanium	5,00
<b>128-1520-15</b>	TORX 6 Screwdriver shaft, with AO connection, self-holding, for 1.5mm screws	1,00
<b>128-1520-20</b>	TORX 8 Screwdriver shaft, with AO connection, self-holding, for 2.0mm screws	1,00
<b>247-0103-00</b>	Screwdriver Handle Silicone, straight, AO, sterilizable up to 134°C, #17	1,00
<b>164-0015-00</b>	Locking Drill Guide 1.5, for 1.1mm Drill, for 1.5mm screws, Hole 1.2mm, 20mm long	2,00
<b>164-0020-00</b>	Locking Drill Guide 2.0, for 1.5mm Drill, for 2.0mm screws, Hole 1.6mm, 20mm long	2,00
<b>164-1520-20</b>	Depth Gauge, 150mm, 40mm, 1,5/20 Screws, Scale up to 40 mm	1,00
<b>148-0180-11</b>	Twist Drill, straight shank, 127 mm, 1,5mm, flute length 22 mm	1,00
<b>148-0180-15</b>	Twist Drill, straight shank, 127 mm, 1,5mm, flute length 22 mm	1,00
<b>148-0181-11</b>	Twist Drill Bone AO shaft, Ø 1.1mm, 85mm x 60mm	1,00
<b>148-0181-15</b>	Twist Drill, AO-quick coupling, Ø 1.5mm x 110mm x 85mm	1,00
<b>128-0881-15</b>	Bending Iron AO type, 1,5/2,0, 130mm, Pair, wide	1,00

## Locking Plates 1.5

### 1.5 Locking Plate Titanium

4.5mm broad, 1.5mm thick



Product Code	Description
<b>142-0215-04</b>	4-Hole, 25.5mm
<b>142-0215-05</b>	5-Hole, 32.5mm
<b>142-0215-06</b>	6-Hole, 39.5mm
<b>142-0215-07</b>	7-Hole, 46.5mm
<b>142-0215-08</b>	8-Hole, 53.5mm
<b>142-0215-09</b>	9-Hole, 60.5mm
<b>142-0215-10</b>	10-Hole, 67.5mm
<b>142-0215-20</b>	20-Hole, cuttable

### 1.5 Locking Plate with Bridge, Titanium

4.5mm broad, 1.5mm thick



Product Code	Description
<b>142-0215-614</b>	14mm Bridge, 4-Hole, 32.5mm
<b>142-0215-621</b>	21mm Bridge, 6-Hole, 53.5mm
<b>142-0215-635</b>	35mm Bridge, 6-Hole, 67.5mm

### 1.5 Locking-L-Plate Titanium

4.5mm broad, 1.5mm thick, 25.5 x 11.5mm length



### 1.5 Locking-Y-Plate Titanium

4.5mm & 11mm broad, 1.5mm thick, 33mm length

**142-0215-805**



### Locking Screw 1.5 mm Titanium

self tapping, Fat-Neck, TORX 6



Length	Product Code
5 mm	<b>245-415-05</b>
6 mm	<b>245-415-06</b>
7 mm	<b>245-415-07</b>
8 mm	<b>245-415-08</b>
9 mm	<b>245-415-09</b>
10 mm	<b>245-415-10</b>
11 mm	<b>245-415-11</b>
12 mm	<b>245-415-12</b>

Length	Product Code
14 mm	<b>245-415-14</b>
16 mm	<b>245-415-16</b>
18 mm	<b>245-415-18</b>
20 mm	<b>245-415-20</b>
22 mm	<b>245-415-22</b>
24 mm	<b>245-415-24</b>
26 mm	<b>245-415-26</b>

## 2.0 Locking Plate Titanium

6mm broad, 1.5mm thick



Produkt Code	Beschreibung
<b>142-0220-04</b>	4-Hole, 33mm
<b>142-0220-05</b>	5-Hole, 42mm
<b>142-0220-06</b>	6-Hole, 51mm
<b>142-0220-07</b>	7-Hole, 60mm
<b>142-0220-08</b>	8-Hole, 69mm
<b>142-0220-09</b>	9-Hole, 78mm
<b>142-0220-10</b>	10-Hole, 87mm
<b>142-0220-20</b>	20-Hole, cuttable

## 2.0 Locking Plate with Bridge, Titanium

6mm broad, 1.5mm thick



Product Code	Description
<b>142-0220-618</b>	18mm Bridge, 4-Hole, 42mm
<b>142-0220-627</b>	27mm Bridge, 6-Hole, 69mm
<b>142-0220-636</b>	36mm Bridge, 6-Hole, 78mm

## 2.0 Locking-L-Plate Titanium

6mm broad, 1.5mm thick, 33 x 15mm length

left **142-0220-504L**



right **142-0220-504R**



## 2.0 Locking-Y-Plate Titanium


6mm & 13.5mm broad, 1.5mm thick, 42mm length

**142-0220-805**



## Locking Screw 2.0 mm Titanium

self tapping, Fat-Neck, TORX 8



Length	Product Code
5 mm	<b>245-420-05</b>
6 mm	<b>245-420-06</b>
7 mm	<b>245-420-07</b>
8 mm	<b>245-420-08</b>
9 mm	<b>245-420-09</b>
10 mm	<b>245-420-10</b>
11 mm	<b>245-420-11</b>
12 mm	<b>245-420-12</b>

Length	Product Code
14 mm	<b>245-420-14</b>
16 mm	<b>245-420-16</b>
18 mm	<b>245-420-18</b>
20 mm	<b>245-420-20</b>
22 mm	<b>245-420-22</b>
24 mm	<b>245-420-24</b>
26 mm	<b>245-420-26</b>
28 mm	<b>245-420-28</b>
30mm	<b>245-420-30</b>

## Locking Drill Guides

### Bone Drills



Ø (mm)	Length (mm)	Connection	Product Code
1.1	85	Round Shaft	<b>148-0180-11</b>
1.5	127	Round Shaft	<b>148-0180-15</b>
1.1	85	AO Shaft	<b>148-0181-11</b>
1.5	110	AO Shaft	<b>148-0181-15</b>

### Depth Gauge

Scala up to 40 mm, for 1.5/2.0 Screws

**164-1520-20**



### Screwdriver Shaft TORX

AO connection, self-holding



TORX 6,  
for 1.5 mm Screws

**128-1520-15**



TORX 8,  
for 2.0 mm Screws

**128-1520-20**



### Screwdriver Handle

Silicone, straight, AO-connection  
sterilizable up to 134°C

**247-0103-00**



### Locking Drill Guide

20 mm lang



1.5 - for 1.5 mm Screws, 1.1 mm Drill	<b>164-0015-00</b>
2.0 - for 2.0 mm Screws, 1.5 mm Drill	<b>164-0020-00</b>

### Bending Iron AO Type 1.5/2.0

130 mm, Pair

**128-0881-15**





**Bone Plate Holding Forceps**

125mm, straight, 45 mm working end

**128-0539-13**



**Bone Plate Holding Forceps**

125mm, angled up, 45 mm working end

**128-0538-13**



**Bone Plate Cutter**

double action, slight angled



**23-5795-22T** 22 cm / 8¾"

up to  $\varnothing$ 2.6 mm  
(soft wires)  
up to  $\varnothing$ 2.2 mm  
(hard wires)



Thanks to Dr. Hugo Schmökel